



Buildings



LAA Permit Department of Buildings

Permit Number: 320665605-LAA

Issued: 05/02/2013
3:17 PM

Expires: 05/02/2014

Address: BROOKLYN 115 ST NICHOLAS AVENUE

Issued to: WILLIAM F HARVEY

Business: ORION PLUMBING & HTG CORP

Floors: CEL

Licensee No: P - 001350

Description of Work: Plumbing: OIL TO GAS CONVERSION

Gas Usage(s): Heat, Water Heater

1. REMOVE THE OIL FIRE BOILER AND REPLACE IT WITH 1 GAS BOILER AND 1 GAS HOT WATER HEATER
2. RUN NEW APPROXIMATELY 40FT 1-1/4" GAS LINE FROM THE GAS METER TO THE NEW BOILER
(WILLIAMSON, MODEL#GWA-210, MEA# 411-00-E, INPUT:210,000BTU) & NEW HOT WATER HEATER
(A.O.SMITH, MODEL #PGC-75, MEA# 51-01-E, INPUT: 75,000 BTU) 3. ALL FLUE ALL EQUIPMENT
VENTED THRU EXIST CHIMNEY.

0326PC_0412PC/0425PC

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 09/16/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.