



Buildings



LAA Permit Department of Buildings

Permit Number: 320672072-LAA

Issued: 08/23/2013
12:11 PM

Expires: 08/23/2014

Address: BROOKLYN 295 SMITH STREET

Issued to: PETER PRESTIGIACOMO

Floors: BAS

Business: PLUMBING PLBG & PLBG CORP

Licensee No: P - 002350

Description of Work: *Plumbing: OTHER PLUMBING*

THIS LAA IS TO INSTALL MAYFB 50LB & 100LB 25 GPM GREASE TRAP INTERCEPTORS IN BASEMENT OF RESTAURANT, ALSO PIPING IN UNITS WITH APPROX 10' FT OF 2" AND 5FT OF 4' CAST IRON NO-HUB DRAINAGE PIPING CONNECTING TO EXISTING 1 & 2 COMPARTMENT SINKS, SCRAPPER SINK, DISHWASHER, TO GREASE TRAP INLET THEN CONNECTING FROM DISCHARGE OUTLET AND PIPED INTO EXISTING BUILDING WASTE DRAINAGE STACKLINE. ALL WORK PERFORMED TO BE PROPERLY SECURED AND SUPPORTED WITH CORRECT. PIPE HANGERS & SUPPORT. THIS WORK IS TO BE PERFORMED IN THE BSMT TO REMOVE DEP VIOLATION#E-54349 0801EB

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 03/05/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.