



Buildings



LAA Permit Department of Buildings

Permit Number: 320673142-LAA

Issued: 08/27/2013
1:00 PM

Expires: 08/27/2014

Address: BROOKLYN 1305 EAST 18 STREET

Issued to: JOSEF LEBOWITS

Business: BAUER MECHANICAL LLC

Floors: CEL

Licensee No: P - 000928

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Gas Usage(s): Heat, Other

INSTALL NEW GAS SERVICE, GAS METER AND APPROXIMATELY 90 FEET OF 3 INCH GAS PIPING AND CONNECT TO EXISTING GAS/OIL BURNER: ICI MEG-34P, MEA #159-74-E, NYC BOILER #MD 294-01. (BOILER: FEDERAL FST-80, MEA #173-77-E, INPUT: 3,360,000 BTU/HR) FILED UNDER APPLICATION #F0 1190/85. NO OIL WORK DONE UNDER THIS APPLICATION, GAS WORK ONLY.

0815MW

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 02/23/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.