



Buildings

LAA Permit Department of Buildings

Permit Number: 321334533-LAA

Issued: 05/15/2017
3:51 PM

Expires: 05/15/2018

Address: BROOKLYN 1201 8 AVENUE

Issued to: HENRY W TRAKTMAN

Floors: CEL

Business: METROPOLITAN HEAT & POWER

Description of Work: Plumbing: GAS PLUMBING WORK

Licensee No: P - 001341

Gas Usage(s): Heat, Water Heater

EWN:13409 INTEGRITY TEST OF APPROX 50' OF 1 1/2" - 2 1/2" GAS PIPING IN CELLAR FROM METER TO BOILER AND HOT WATER HEATER, REMOVE ILLEGAL 1" TEE AND REPLACE 2 X 1 1/2" COUPLING. INSTALL SLEEVE ON 2" GAS LINE WHERE IT PASSES THROUGH BOILER ROOM WALL. GAS TEST REQUIRED. NO HOT WATER IN BUILDING. REG/REP HOT WATER HEATER. EX'G WEIL McLain EGH 115 BOILER SEE JOB #302323929 (ATTACHED) VENTED INTO EX'G TILE LINED CHIMNEY INPUT 500,000 (DEP RECORD ATTACHED). HOT WATER HEATER IS AN A.O.SMITH BTR197 DEP FILE # FOR BOILER IS CB084007 (ATTACHED).

0501/7HT* 0510/7HT

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/21/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.