



Buildings

LAA Permit Department of Buildings

Permit Number: 321345674-LAA

Issued: 01/22/2018
6:16 PM

Expires: 01/22/2019

Address: BROOKLYN 332 85 STREET

Issued to: STEPHEN J IAFE

Floors: CEL

Business: WILLIAM G IAFE INC

Description of Work: Plumbing: GAS PLUMBING WORK

Licensee No: P - 000887

Gas Usage(s): Heat, Water Heater

THE 2ND FLOOR GAS METER FOR HOUSE HEATING IS LOCKED OFF BY GAS UTILITY DUE TO LEAK. WE SHALL REPAIR THE LEAK AND PERFORM AN INTEGRITY TEST FOR GAS AUTHORIZATION. WE SHALL ALSO REGISTER THE 50 YEAR OLD HEATING BOILER AND TWO EXISTING GAS FIRED REPLACEMENT WATER HEATERS. ALL ARE VENTED INTO CLAY LINED CHIMNEY IN GOOD CONDITION. COOKING STOVE IS ELECTRIC. NO NEW GAS WORK OR GAS PIPING. NO NEW ROUGHING. BOILER AFFIDAVIT TO FOLLOW. SEE ATTACHED CHIMNEY, BOILER AND FURNACE LETTER. IN ADDITION ATTACHED ARE PHOTOS OF FURNACE AND BOILER. 1108/7SI 1207/7SI

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/21/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.