



Buildings



LAA Permit Department of Buildings

Permit Number: 321350603-LAA

Issued: 02/06/2018
1:26 PM

Expires: 02/06/2019

Address: BROOKLYN 301 HOOPER STREET

Issued to: RICHARD A ADINOLFI

Floors: CEL 001 thru 006

Business: CLEAN TECH MECHANICAL INC

Licensee No: P - 001365

Description of Work: Plumbing: GAS PLUMBING WORK

Gas Usage(s): Cooking, Boiler Pilot

EWN15123. GAS SHUTDOWN BY THE UTILITY CO., WE WILL TEST GAS LINES FROM METERS IN CEL UP TO THE 6TH FL. WE WILL REP APPROX 2100' OF 3/4BLK GAS PIPING FEEDING APTS FOR COOKING ONLY. WILL INSTALL NEW METER FOR BL PILOT BL INSTALLED UNDER JOB#300839617. ALSO REP APPROX 50' OF 3" PIPING SUPPLYING MTR BANK. 36 METERS TOTAL(1 FOR BL PILOT; 35 FOR RESCOOKING)-35 APTS AS PER ATTACHED C/O ON FLS 1-6 NO GAS PIPING IN ANY PUBLIC HALLWAYS. FIRESTOPS WILL BE RES AS PER NYC CODE. ALSO REPL 3/4"VALVE & FLEX CONNECTOR IN EACH APT FOR RES STOVE. GAS RISERS WILL RUN TO KICTHENAREAS IN APTS.
0103/8_0118/8_0129/8GM_0205/8GM*

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/24/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.