



Buildings



LAA Permit Department of Buildings

Permit Number: 340151061-LAA

Issued: 06/04/2014
2:45 PM

Expires: 06/04/2015

Address: BROOKLYN 328 OVINGTON AVENUE

Issued to: IRA AUSLANDER

Floors: CEL

Business: ARCO PLBG AND HTG INC

Licensee No: P - 001020

Description of Work: Plumbing: OIL TO GAS CONVERSION

Gas Usage(s): Heat, Water Heater

INSTALL ONE (1) MFG: BURNHAM MDL #KIN-8 BOILER; MEA #154-93-E VOL III; 245,000 BTU INPUT, 196,000 BTU OUTPUT. INSTALL TWO (2) GAS FIRED MFG: A.O. SMITH 50 GAL WATER HEATERS, MDL #XVC-50; MEA #387-04-E; TWINNED TOGETHER; 40,000 BTU EA. INSTALL APPROX 25 L.F. 1-1/4" BLACK PIPE. INSTALL NEW GAS METER BAR & NEW GAS METER. VENTED THROUGH EXIST CHIMNEY.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/26/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.