



**Buildings**



# LAA Permit Department of Buildings

Permit Number: **340175508-LAA**

Issued: **08/12/2014**  
**6:03 PM**

Expires: **08/12/2015**

Address: **BROOKLYN 547 6TH AVENUE**

Issued to: **PASQUALE QUARATINO**

Floors: **CEL**

Business: **HARRIS PLUMBING & HEATING**

Licensee No: **P - 001370**

Description of Work: **Plumbing: PRIMARY BACKFLOW PREVENTER (RPZ)**

**INSTALL ONE 1 1/2" WATTS LF-009 ON THE EXISTING 1 1/2" DOMESTIC SERVICE. INSTALL ONE 1" WATTS LF-009 ON THE EXISTING 1" DOMESTIC SERVICE. MEA # 127-88-M. DISCHARGING IN EXISTING FLOOR DRAIN AS PER DEP # 14050928. EXISTING WATER METERS.**

Emergency Telephone Day or Night: **311**

Borough Commissioner:

A handwritten signature in black ink, likely belonging to the Borough Commissioner.

Commissioner of Buildings:

A handwritten signature in black ink, likely belonging to the Commissioner of Buildings.

***This permit copy created on 01/22/2026 reflects the Commissioner(s) as of such date.***

**Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.**