



Buildings

LAA Permit Department of Buildings

Permit Number: 340199608-LAA

Issued: 10/23/2014
2:58 PM

Expires: 10/23/2015

Address: BROOKLYN 12 DOUGLASS STREET

Issued to: RONNIE GUTERMAN

Floors: CEL

Business: PARKSET PLUMBING CO INC

Description of Work: Plumbing: OIL TO GAS CONVERSION

Licensee No: P - 000913

Gas Usage(s): Heat, Water Heater

REMOVE OIL BOILER. INSTALL BURNHAM IN7 GAS BOILER, 210,000 BTU INPUT, 173,000 BTU OUTPUT,
ETL J99023826-001. REGISTER A.O. SMITH 75 GALLON WATER HEATER, MODEL PCG-75, 75,100
BTU'S, CSA 4.1-4.3. INSTALL APPROX 30' OF 1 1/4" GAS PIPING FROM UPGRADE METER TO BOILER
& WATER HEATER. VENTED THRU EXISTING MASONRY CHIMNEY.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/20/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.