



Buildings



LAA Permit Department of Buildings

Permit Number: 340202845-LAA

Issued: 11/03/2014
10:56 AM

Expires: 11/03/2015

Address: BROOKLYN 115 ST NICHOLAS AVE

Issued to: DUANE D POLADIAN

Floors: CEL

Business: C & T PLUMBING & HTG INC

Licensee No: P - 002025

Description of Work: Plumbing: OIL TO GAS CONVERSION

Gas Usage(s): Heat, Water Heater

INSTALL 40' OF 1 1/4" & 15' OF 3/4" GAS PIPING IN CELLAR. INSTALL (1) WILLIAMSON GWA-210, 210,000 BTUS INPUT, MEA #411-00-E HOT WATER BOILER IN CELLAR. INSTALL (1) A.O. SMITH PGC-75, 75,000 BTUS INPUT, MEA # 51-01-E HOT WATER HEATER IN CELLAR. VENT BOILER AND HOT WATER TO EXISTING ADEQUATE SIZE CHIMNEY. NO GAS PIPE IN PUB HALLWAY.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 09/16/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.