



Buildings

LAA Permit Department of Buildings

Permit Number: 340342007-LAA

Issued: 01/06/2016
7:31 PM

Expires: 01/06/2017

Address: BROOKLYN 15A DWIGHT STREET

Issued to: CARLO POPOLANO

Floors: 1ST

Business: AURORA P & H CONT INC

Description of Work: Plumbing: GAS PLUMBING WORK

Licensee No: P - 001626

Gas Usage(s): Heat

REPLACE ONE GAS FIRED BOILER LAARS MODEL EBP110 WITH ONE(NEW LAARS MODEL EBP110 GAS FIRED BOILER WITH 108,200 BTU INPUT AND 61,800 OUT PUT, CSA#1709162.) CONNECTING UNIT TO EXISTING 1" GAS LINE, GAS VALVE AND GAS METER. CHIMNEY LINED AND IN GOOD CONDITION, VENTING UNIT TO EXISTING CHIMNEY TO ROOF. JOB REPLACES SAME.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/21/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.