



**Buildings**



# LAA Permit Department of Buildings

Permit Number: 340404636-LAA

Issued: 07/22/2016  
7:57 AM

Expires: 07/22/2017

Address: BROOKLYN 6817 3 AVE

Issued to: ROMICK K ADAMS

Floors: 004,003,002,001,BAS

Business: RKA PIPING AND HEATING

Licensee No: P - 002193

Description of Work: *Plumbing: GAS PLUMBING WORK*

*Gas Usage(s): Heat, Cooking, Water Heater  
UPGRADING METER BARS AND MANIFOLD PIPING IN BASEMENT ,8 CLASS 250 METER BARS FOR COOKING ON 1,2,3,4 FL.AND 1 CLASS 500 METER FOR HEAT AND HOT WATER ,REPLACING 65 FEET OF 11/4 BLACK STEEL PIPE TO BOILER ROOM IN BASEMENT ,REPLACING 560 FEET TOTAL LENGTH OF 3/4 BLACK STEEL PIPE FROM BASEMENT TO APT 4R AND 4L ON 4TH FLOOR ,APT 3L AND 3R ON 3 RD FL, APT 2L AND 2R ON SECOND FL , AND APT 1L AND 1R ON FIRST FL. NO PIPES WILL RUN IN PUBLIC AREAS AND NO FIRESTOPPING WILL BE COMPROMISED*

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

*This permit copy created on 04/26/2026 reflects the Commissioner(s) as of such date.*

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.