



Buildings



LAA Permit Department of Buildings

Permit Number: 340422787-LAA

Issued: 09/14/2016
1:51 PM

Expires: 10/12/2018

Address: BROOKLYN 129 BOERUM ST.

Issued to: WILLIAM S BRESALIER

Floors: CEL

Business: L&J PLG & HTG CO OF NY IN

Licensee No: P - 000945

Description of Work: *Plumbing: GAS PLUMBING WORK*

Gas Usage(s): Heat, Cooking, Water Heater

REGISTER REPLACEMENT (1) WEIL MCLAIN BOILER AND (1) A.O SMITH GAS FIRED HOT WATER HEATER. GAS HEADER AND EXISTING METER BARS CORRODED. REPLACE OLD EXIST GAS METER HEADER WITH NEW PIPE, FITTINGS AND NEW GAS METER BARS. TO REPLACE 25' OF 2" SCHEDULE 40 BLK PIPE 30' OF 1" 1 SCHEDULE 40 BLK PIPE. REPLACE (5) CLASS 250 METER BARS AND (1) CLASS 425 METER BAR. TEST ALL EXISTING GAS LINES AND OBTAIN GAS AUTHORIZATION. BOILER AND HOT WATER HEATER CONNECTED TO EXISTIN CHIMNEY WHICH IS IN GOOD CONDITION. NO FIRESTOPS TO BE COMPROMISED. EXISTING GAS STOVES : 1 @ 1FL, 2 @ 2FL, 2 @ 3FL _____ A0907/7JK, R0907/7JK, A1004/7JK

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/18/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.