



Buildings



LAA Permit Department of Buildings

Permit Number: 340552896-LAA

Issued: 10/10/2017
1:22 PM

Expires: 10/10/2018

Address: BROOKLYN 319 68 STREET

Issued to: JOHN C FARR

Floors: 002

Business: JOHN FARR P & H CORP

Licensee No: P - 001115

Description of Work: *Plumbing: GAS PLUMBING WORK*

Gas Usage(s): Cooking

GAS TURNED OFF BY UTILITY. IN APT# 2F ON THE 2ND FLOOR, REPLACE APPROX. 2' OF 3/4" GAS PIPING BEHIND STOVE & REPLACE (1) 3/4" GAS APPLIANCE VALVE & FLEX HOSE. PERFORM GAS TEST FROM METER IN CELLAR TO 2ND FLOOR, APT# 2F TO OBTAIN GAS AUTHORIZATION FOR COOKING ONLY. FIRESTOPS WILL NOT BE COMPROMISED AND NO GAS PIPE IN ANY PUBLIC SPACE.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 05/24/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.