



Buildings

LAA Permit Department of Buildings

Permit Number: 340603458-LAA

Issued: 05/08/2018
12:06 PM

Expires: 05/08/2019

Address: BROOKLYN 719 HENRY STREET

Issued to: RICHARD A ADINOLFI

Floors: CEL,001

Business: CLEAN TECH MECHANICAL INC

Description of Work: Plumbing: GAS PLUMBING WORK

Licensee No: P - 001365

Gas Usage(s): Cooking

DUE TO A GAS SHUTDOWN BY THE UTILITY CO. IN APT 1R, WE WILL REPLACE APPROXIMATELY 30' OF 3/4" GAS PIPING & 3/4" GAS VALVE & FLEX CONNECTOR BEHIND STOVE. APPLIANCE ON METER: 1ST FL RESIDENTIAL STOVE. THERE WILL BE NO GAS PIPING IN ANY PUBLIC HALLWAYS. FIRESTOPS WILL BE RESTORED AS PER NYC CODE.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/19/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.