



**Buildings**



# LAA Permit Department of Buildings

Permit Number: 420754918-LAA

Issued: 11/21/2014  
6:58 PM

Expires: 11/21/2015

Address: QUEENS 10-15 47 AVENUE

Issued to: PHILIP M TANELLA

Floors: CEL

Business: KATAN P & H INC

Licensee No: P - 001669

Description of Work: Plumbing: GAS EQUIPMENT/PIPING

Gas Usage(s): Heat, Water Heater

REMOVAL OF 4-GAS FIRED BOILER AND 4-GAS FIRED HW HEATERS. INSTALL 1-GAS FIRED BOILER AND (1) GAS FIRED HW HEATER. INSTALL NEW GAS METER AND GAS PIPING. CONNECT TO EXISTING CHIMNEY. RUN APPROX 20' X 1 1/2" BLACK PIPE. 1-WEIL MCLAIN MODEL#CGA7 BTUS 210,000 CSA CLASS #1502-81 1-A/O SMITH 50 GAL MODEL XCV50 BTUS 50,000 CSA CLASS #2901-85 210,000 BTUS/INPUT 178,500 BTUS/OUTPUT

1007GS

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

*This permit copy created on 03/30/2026 reflects the Commissioner(s) as of such date.*

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.