



Buildings

LAA Permit Department of Buildings

Permit Number: 440164331-LAA

Issued: 08/21/2014
3:51 PM

Expires: 08/21/2015

Address: QUEENS 14-15 31 ROAD

Issued to: VITO VAVALLO

Floors: BAS

Business: H2O PLUMBING INC

Description of Work: Plumbing: OIL TO GAS CONVERSION

Licensee No: P - 002116

Gas Usage(s): Heat, Water Heater

INSTALL A BURNHAM MODEL#IN7LNI-LE2 VOLUME 4,BOILER RATED AT 210,000 BTU IN PUT MEA #154-93-E AND (2)A.O. SMITH MODEL XCV-50,50 GALLON WH RATED AT 40,000 BTU IN PUT EACH MEA#387-04-E VENTED THROUGH EXISTING TERRA COTTA LINED CHIMNEY.WE WILL INSTALL A NEW 1"X 1 1/4" METER BAR WITH APPOX. 30'OF 1 1/4"& 30'OF 3/4" BLACK PIPE TO SUPPLY GAS TO UNITS.

Emergency Telephone Day or Night: 311

Borough Commissioner:

Commissioner of Buildings:

This permit copy created on 01/22/2026 reflects the Commissioner(s) as of such date.

Tampering with or knowingly making a false entry in or falsely altering this permit is a crime that is punishable by a fine, imprisonment or both.